

DATA SHEET

Slump Cone Test Sets



Portable slump cone test kit 54-C0149/B, 54-C0150/C

General description

We propose various sets. Versions 54-C0149/B and 54-C0150/C are particularly suitable for site inspectors as are handy, easy transportable and with housing for all parts.

All cones are seamless and robust. Cones only and components are also available. See accessories and spares.

The slump cone is also known as Abrams cone, from the name of the inventor.

Standards

- AASHTO T119
- ASTM C143
- EN 12350-2

Specifications

Weights

50-C0149/B:
8 kg approx.

50-C0149/E:
7 kg approx.

50-C0150:
8 kg approx.

50-C0150/C:
8 kg. approx.

DATA SHEET



Slump cone test kit with plate and accessories 54-C0149/E



54-C0149/B, carrying position



54-C0149/B slump cone kit during operation. The handle raises over specimen and slump is measured using the tamping rod engraved in 1 cm increments.

DATA SHEET



54-C0149/A Cone only. Seamless and robust.

Products

54-C0149/B

Portable slump cone test set including steel cone protected against corrosion, metal base with clamps and graduated tamping rod. Conforming to EN 12350-2

54-C0149/E

Slump cone test set including steel cone protected against corrosion, base plate, steel tamping rod, steel rule and scoop. Conforming to EN and ASTM standard.

54-C0150

Slump cone test set including stainless steel cone, steel tamping rod, metal base with clamps, graduated tamping rod, scoop, cone funnel. Conforming to EN 12350-2

54-C0150/C

Portable slump cone test set including stainless steel cone, metal base with clamps and graduated tamping rod. Conforming to EN 12350-2

Accessories and consumables

54-C0149/B1

Metal base for portable slump cone test set

54-C0149/3

Steel base plate 400x400 mm for slump cone

54-C0149/5

Steel rule 300 mm

55-C0140

Tamping rod dia 16 mm x 600 mm

55-C0140/A

Graduated tamping rod for Abrams cone

54-C0149/A

Slump cone made of steel protected against corrosion conforming to EN 12350-2

54-C0150/A

DATA SHEET

Slump cone made of stainless steel conforming to EN12350-2

54-C0150/P2

Hopper for slump cone