

CONCRETE COMPACTION

Product Code

UTC-0900E	Vibrating Table Small, EN
UTC-0910E	Vibrating Table Large, EN
UTC-0920E	Vibrating Table, Site Type, Portable, EN
UTC-0900A	Vibrating Table Small, ASTM
UTC-0910A	Vibrating Table Large, ASTM
UTC-0920A	Vibrating Table, Site Type, Portable, ASTM

Models for 220-240V 50 Hz, 1 ph.	UTC-0900E-T	UTC-0910E-T
Models for 110-120V 60 Hz, 1 ph.	UTC-0900E-N	UTC-0910E-N
Models for 220-240V 60 Hz, 1 ph.	UTC-0900E-K	UTC-0910E-K
Models for 220-240V 50 Hz, 1 ph.	UTC-0900A-T	UTC-0910A-T
Models for 110-120V 60 Hz, 1 ph.	UTC-0900A-N	UTC-0910A-N
Models for 220-240V 60 Hz, 1 ph.	UTC-0900A-K	UTC-0910A-K

Standards

EN 12390-2; ASTM C192

The UTEST fixed amplitude vibrating tables are compact units providing controlled vibro-compaction for cube or cylinder moulds. Vibrating tables consist of vibrating motor, command unit and clamping assembly.

For laboratory use the table is available in two alternative models. The small table accepts 2, large table accepts 6 cube or cylinder moulds by using clamping assembly.

UTC-0900 and UTC-0910 tables can also be used for beam moulds.

For on site applications, portable UTC-0920 Vibrating Table is designed for preparing the cube or cylinder specimens by vibration. 1 or 2 pcs. cube or cylinder mould can be clamped on the table depending on outer size of the mould to be used.

UTC-0920 Vibration Tables are supplied complete with a converter (DC 12 to 220V).

Product Code	Dimensions (packed)	Weight (approx.)	Power
UTC-0900	610x380x800 mm	52 kg	180 W
UTC-0910	1000x500x1050 mm	130 kg	180 W
UTC-0920	500x500x450 mm	20 kg	180 W



UTC-900E



UTC-910E



UTC-920E